Medicine Effective July 1, 2001

\$3623-26   Stimulation, pacing heart			DOLLAR		MODIFIERS										
38623-26   Stimulation, pacing heart   \$229.65   \$229.65   \$229.65   \$0.0%   0%   0%   0%   0%   0   0   0   0			NON-FACILITY												
93624-7C Stimulation, pacing heart \$281.23 \$281.23 \$0.0% 0% 0% 0% 1 0 0 0 0 0 0 0 0 0 0 0 0 0	CODE	ABBREVIATED DESCRIPTION	SETTING	SETTING	FOL UP	(-56)	(-54)	(-55)	(26/	(-51)	(-50)	(-80)	(-62)	(-66)	BASE FSI
93624-26 Electrophysiologic study 9363-77 83624-76 Electrophysiologic study 9363-78 8363-57 83			\$229.65	the state of the s	0	0%	0%	0%	1	0	0	0	0	0	R
93624-26 Electrophysiologic study 9363-57 9363-75 9363	93623-TC		\$281.23	\$281.23	0	0%	0%	0%	1	0	0	0	0	0	R
93624-TC   Electrophysiologic study   \$104.16   \$104.16   \$0   0%   0%   0%   0%   1   0   0   0   0   0   0   0   0   0					0	0%			1	0	0	-	0	-	R
93831 - Heart pacing, mapping         \$925.04         \$925.04         0         0%         0%         0%         0 <td></td> <td></td> <td>\$363.57</td> <td>\$363.57</td> <td>0</td> <td>0%</td> <td>0%</td> <td>0%</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>R</td>			\$363.57	\$363.57	0	0%	0%	0%	1	0	0	0	0	0	R
19361-26   Heart pacing, mapping   \$596.19   \$596.19   \$0.0		Electrophysiologic study	\$104.16	\$104.16	0	0%	0%	0%	1	0	0	0	0	0	R
93631-TC         Heart pacing, mapping         \$228.85         \$328.85         \$0         0%         0%         0%         \$0		Heart pacing, mapping	\$925.04	\$925.04	0	0%	0%	0%	1	0	0	0	0	0	R
S3840   Evaluation heart device   \$661.66   \$661.66   \$661.66   \$0   0%   0%   0%   0%   0   0   0   0		Heart pacing, mapping			0	0%			1	0	0	0	0	0	R
93640-26         Evaluation heart device         \$287.18         \$287.18         0         0%         0%         0%         1         0         0         0         0         93640-TC         Evaluation heart device         \$374.48         \$374.48         0         0%         0%         0%         0         <	93631-TC	Heart pacing, mapping	\$328.85	\$328.85	0	0%	0%	0%	1	0	0	0	0	0	R
93641—C Evaluation heart device \$374.48 \$374.48 \$0 0% 0% 0% 0% 1 0 0 0 0 0 0 0 0 0 0 0 0	93640	Evaluation heart device	*	*	0	0%		0%	1	0	0	0	0	0	R
93641 Electrophysiology evaluation \$862.05 \$862.05 0 0% 0% 0% 0% 1 0 0 0 0 0 0 0 0 0 0 0 0	93640-26	Evaluation heart device	\$287.18	\$287.18	0	0%	0%	0%	1	0	0	0	0	0	R
93641-26         Electrophysiology evaluation         \$487.57         \$487.57         0         0%         0%         0%         1         0         0         0         0         93641-TC         Electrophysiology evaluation         \$374.48         \$374.48         0         0%         0%         0%         0	93640-TC	Evaluation heart device	\$374.48	\$374.48	0	0%	0%	0%	1	0	0	0	0	0	R
93641-TC         Electrophysiology evaluation         \$374.48         \$374.48         0         0%         0%         0%         1         0         0         0           93642         Electrophysiology evaluation         \$376.30         0         0%         0%         0%         1         0			T		0	0%		0%	1	0	0	0	0	0	R
93642 Electrophysiology evaluation \$770.78 \$770.78 0 0 0% 0% 0% 0% 1 0 0 0 0 0 0 93642-26 Electrophysiology evaluation \$396.30 \$396.30 0 0% 0% 0% 0% 1 0 0 0 0 0 0 93642-1C Electrophysiology evaluation \$374.48 \$374.48 0 0% 0% 0% 0% 1 0 0 0 0 0 0 93650 Ablate heart dysrhythm focus \$867.50 \$867.50 0 0% 0% 0% 0% 0 0 0 0 0 0 0 0 93651 Ablate heart dysrhythm focus \$1,337.22 \$1,337.22 0 0% 0% 0% 0% 0 0 0 0 0 0 0 0 93661 Ablate heart dysrhythm focus \$1,337.22 \$1,337.22 0 0% 0% 0% 0% 0 0 0 0 0 0 0 0 0 93660 Tilt table evaluation \$343.73 \$343.73 0 0% 0% 0% 0% 0 0 0 0 0 0 0 0 0 93660 Tilt table evaluation \$343.73 \$343.73 0 0% 0% 0% 0% 1 0 0 0 0 0 0 0 0 0 0 0 0					0	0%	0%	0%	1	0	0	0	0	0	R
93642-26         Electrophysiology evaluation         \$396.30         \$396.30         \$396.30         0         0%         0%         0%         0	93641-TC	Electrophysiology evaluation	\$374.48	\$374.48	0	0%	0%	0%	1	0	0	0	0	0	R
93642-TC         Electrophysiology evaluation         \$374.48         \$374.48         \$374.48         0         0%         0%         0%         1         0         0         0         0         93650         Ablate heart dysrhythm focus         \$867.50         \$867.50         0         0%         0%         0%         0 </td <td></td> <td></td> <td></td> <td>*</td> <td>0</td> <td></td> <td></td> <td></td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>R</td>				*	0				1	0	0	0	0	0	R
93650         Ablate heart dysrhythm focus         \$867.50         \$867.50         0         0%         0%         0<	93642-26	Electrophysiology evaluation	\$396.30	\$396.30	0	0%	0%	0%	1	0	0	0	0	0	R
93651 Ablate heart dysrhythm focus \$1,337.22 \$1,337.22 0 0 0% 0% 0% 0 0 0 0 0 0 0 0 0 0 93652 Ablate heart dysrhythm focus \$1,432.94 \$1,432.94 0 0% 0% 0% 0% 0 0 0 0 0 0 0 0 0 0 0 0	93642-TC	Electrophysiology evaluation	\$374.48	\$374.48	0	0%	0%	0%	1	0	0	0	0	0	R
93652         Ablate heart dysrhythm focus         \$1,432.94         \$1,432.94         0         0%         0%         0 <t< td=""><td>93650</td><td>Ablate heart dysrhythm focus</td><td>\$867.50</td><td>\$867.50</td><td>0</td><td>0%</td><td>0%</td><td>0%</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>R</td></t<>	93650	Ablate heart dysrhythm focus	\$867.50	\$867.50	0	0%	0%	0%	0	0	0	0	0	0	R
93660         Tilt table evaluation         \$343.73         \$343.73         \$343.73         0         0%         0%         0%         1         0         0         0         0         93660-26         Tilt table evaluation         \$145.82         \$145.82         \$145.82         0         0%         0%         0%         1         0	93651	Ablate heart dysrhythm focus	\$1,337.22	\$1,337.22	0	0%	0%	0%	0	0	0	0	0	0	R
93660-26         Tilt table evaluation         \$145.82         \$145.82         \$145.82         0         0%         0%         0	93652		\$1,432.94	\$1,432.94	0	0%	0%	0%	0	0	0	0	0	0	R
93660-TC Tilt table evaluation \$189.97 \$189.97 0 0% 0% 0% 0 0 0 0 0 0 0 0 93662 Intracardiac ecg (ice) \$402.75 \$402.75 0 0% 0% 0% 0% 2 0 0 0 0 0 0 0 0 0 0 0 0	93660	Tilt table evaluation		*	0	0%	0%	0%	1	0	0	0	0	0	R
93662 Intracardiac ecg (ice) \$402.75 \$402.75 0 0% 0% 0% 0 0% 0 0 0 0 0 0 93668 Peripheral vascular rehab By Report By Report 0 0% 0% 0% 0% 9 9 9 9 9 9 9 9 9 9 9 9 9	93660-26	Tilt table evaluation			0	0%			1	0	0	0	0	0	R
93668 Peripheral vascular rehab By Report By Report 0 0% 0% 0% 0% 9 9 9 9 9 9 9 9 9 9 9 9 9	93660-TC	Tilt table evaluation	\$189.97	\$189.97	0	0%	0%	0%	1	0	0	0	0	0	R
93720         Total body plethysmography         \$51.09         \$46.13         0         0%         0%         0	93662	Intracardiac ecg (ice)	\$402.75	\$402.75	0	0%	0%	0%	2	0	0	0		0	R
93721 Plethysmography tracing \$37.70 \$33.23 0 0% 0% 0% 3 0 0 0 0 0 0 93722 Plethysmography report \$13.89 \$13.39 0 0% 0% 0% 0% 2 0 0 0 0 0 0 0 93724 Analyze pacemaker system \$573.87 \$573.87 0 0% 0% 0% 0% 1 0 0 0 0 0 0 93724-26 Analyze pacemaker system \$366.54 \$366.54 0 0% 0% 0% 1 0 0 0 0 0 0 0 93724-TC Analyze pacemaker system \$207.33 \$207.33 0 0% 0% 0% 1 0 0 0 0 0 0 93727 Analyze ilr system \$38.19 \$38.19 0 0% 0% 0% 0% 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	93668	Peripheral vascular rehab	By Report	By Report	0	0%	0%	0%	9	9	9	9	9	9	N
93722 Plethysmography report \$13.89 \$13.39 0 0% 0% 0% 0% 2 0 0 0 0 0 0 93724 Analyze pacemaker system \$573.87 \$573.87 0 0% 0% 0% 0% 1 0 0 0 0 0 0 93724-26 Analyze pacemaker system \$366.54 \$366.54 0 0% 0% 0% 1 0 0 0 0 0 0 93724-TC Analyze pacemaker system \$207.33 \$207.33 0 0% 0% 0% 1 0 0 0 0 0 0 93727 Analyze ilr system \$38.19 \$38.19 0 0% 0% 0% 0% 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	93720	Total body plethysmography	\$51.09	\$46.13	0	0%	0%	0%	4	0	0	0	0	0	R
93724         Analyze pacemaker system         \$573.87         \$573.87         0         0%         0%         0%         1         0         0         0         0         93724-26         Analyze pacemaker system         \$366.54         \$366.54         0         0%         0%         0%         1         0 <t< td=""><td>93721</td><td>Plethysmography tracing</td><td>\$37.70</td><td>\$33.23</td><td>0</td><td>0%</td><td>0%</td><td>0%</td><td>3</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>R</td></t<>	93721	Plethysmography tracing	\$37.70	\$33.23	0	0%	0%	0%	3	0	0	0	0	0	R
93724-26         Analyze pacemaker system         \$366.54         \$366.54         0         0%         0%         0%         1         0         0         0         0           93724-TC         Analyze pacemaker system         \$207.33         \$207.33         0         0%         0%         0%         1         0         0         0         0           93727         Analyze ilr system         \$38.19         \$38.19         0         0%         0%         0%         2         9         9         9         9           93731         Analyze pacemaker system         \$60.51         \$60.51         0         0%         0%         0%         1         0         <		Plethysmography report	\$13.89	\$13.39	0	0%	0%	0%	2	0	0	0	0	0	R
93724-TC       Analyze pacemaker system       \$207.33       \$207.33       0       0%       0%       0%       1       0       0       0       0         93727       Analyze ilr system       \$38.19       \$38.19       0       0%       0%       0%       2       9       9       9       9         93731       Analyze pacemaker system       \$60.51       \$60.51       0       0%       0%       0%       1       0       0       0       0         93731-26       Analyze pacemaker system       \$34.22       \$34.22       0       0%       0%       0%       1       0       0       0       0         93731-TC       Analyze pacemaker system       \$26.29       \$26.29       0       0%       0%       0%       1       0       0       0       0	93724	Analyze pacemaker system	\$573.87	\$573.87	0	0%	0%	0%	1	0	0	0	0	0	R
93727       Analyze ilr system       \$38.19       \$38.19       0       0%       0%       0%       2       9       9       9       9       9         93731       Analyze pacemaker system       \$60.51       \$60.51       0       0%       0%       0%       1       0       0       0       0         93731-26       Analyze pacemaker system       \$34.22       \$34.22       0       0%       0%       0%       1       0       0       0       0         93731-TC       Analyze pacemaker system       \$26.29       \$26.29       0       0%       0%       0%       1       0       0       0       0	93724-26	Analyze pacemaker system	\$366.54	\$366.54	0	0%	0%	0%	1	0	0	0	0	0	R
93731       Analyze pacemaker system       \$60.51       \$60.51       0       0%       0%       0%       1       0 </td <td></td> <td>Analyze pacemaker system</td> <td>\$207.33</td> <td>\$207.33</td> <td>0</td> <td>0%</td> <td>0%</td> <td>0%</td> <td>1</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>R</td>		Analyze pacemaker system	\$207.33	\$207.33	0	0%	0%	0%	1	0	0	0	0	0	R
93731-26         Analyze pacemaker system         \$34.22         \$34.22         0         0%         0%         0%         1         0         0         0         0           93731-TC         Analyze pacemaker system         \$26.29         0         0%         0%         0%         1         0         0         0         0		Analyze ilr system	\$38.19	\$38.19	0	0%	0%	0%	2	9	9	9	9	9	R
93731-TC Analyze pacemaker system \$26.29 \$26.29 0 0% 0% 0% 1 0 0 0 0	93731	Analyze pacemaker system	\$60.51	\$60.51	0	0%	0%	0%	1	0	0	0	0	0	R
	93731-26	Analyze pacemaker system	\$34.22	\$34.22	0	0%	0%	0%	1	0	0	0	0	0	R
93732 Analyze pacemaker system \$94.24 \$94.24 0 0% 0% 0% 1 0 0 0 0	93731-TC	Analyze pacemaker system	\$26.29	\$26.29	0	0%	0%	0%	1	0	0	0	0	0	R
and a superpose of the	93732	Analyze pacemaker system	\$94.24	\$94.24	0	0%	0%	0%	1	0	0	0	0	0	R
93732-26 Analyze pacemaker system \$66.96 \$66.96 0 0% 0% 0% 1 0 0 0 0	93732-26	Analyze pacemaker system	\$66.96	\$66.96	0	0%	0%	0%	1	0	0	0	0	0	R
93732-TC Analyze pacemaker system \$27.28 \$27.28 0 0% 0% 1 0 0 0 0	93732-TC	Analyze pacemaker system	\$27.28	\$27.28	0	0%	0%	0%	1	0	0	0	0	0	R